



## UNIVERSITY OF KERALA

Thiruvananthapuram, Kerala, India – 695034

(Established as University of Travancore by the Travancore University Act in 1937 and reconstituted as University of Kerala by the Kerala University Act of 1957 and presently governed by the Kerala University Act of 1974 passed by the Kerala State Legislative Assembly)  
(Re-accredited by NAAC with 'A++' Grade)

15178/Admn B IV A/2023/UOK

23.05.2023

### QUOTATION NOTICE

Competitive Quotations are invited from interested Vendors **within Kerala State**, for the supply of one number of Electrical Napkin Incinerator **for use in the University of Kerala Study Research Centre, Alappuzha**. The details of Specification for Electrical Napkin Incinerator and format of Compliance Statement are also appended.

### Conditions

1. The rate quoted should be inclusive of Tax, transportation charges, installation charges and any other charges.
2. **Compliance Statement should be submitted that includes all parameters as in specification.**
3. Complaints if any with the items supplied should be rectified/replaced to the satisfaction of the University by the suppliers at their own cost.
4. **The item should be delivered and installed at University of Kerala Study Research Centre, Alappuzha.**
5. Payment will be made only after the supply of the items at our own site.
6. The undersigned reserves the right to accept/reject any quotation without assigning any reason.

The sealed quotations should be addressed to "The Registrar, University of Kerala, Senate House Campus, Palayam, Thiruvananthapuram - 695034", superscribing as "Quotations for the supply of one number of Electrical Napkin Incinerator for use in the University of Kerala Study Research Centre, Alappuzha". The last date of receipt of quotations is at 3.00 PM on 09.06.2023. The quotations will be opened at 3.30 PM on the same day in the presence of vendors then present.

Prof. (Dr.) K S Anil Kumar  
Registrar



**Specification for Electrical Napkin Incinerator**

Type	Wall Mountable
Operation Mode	Electronically operated, fully automatic
Loading Type	Front loading
Number of chambers	2
Residue Ash per Napkin	<1.5 gram
Trap Door	Required
Material of Thermal Insulation	High Density Ceramic fiber
Temperature indicator	Required
Timer	Required
Auto cut-off temperature display	Required
Minimum Burning temperature (degree C)	800
Burning Chamber tray	Required
Burning Capacity per day (Number of Napkins)	40 - 50 Nos
Power supply	230V +/-10%, 50Hz, Single phase AC Supply
Type of Heater	Ceramic heater containing coil
Type of SCU (Smoke Control Unit)	Top mounted with minimum 3M length of flexible emission outlet PCB
Safety MCB	Required
Pollution Certificate from Central/State Pollution control boards /CSIR/NABL	Required
Warranty	One-year comprehensive warranty

**Format of Compliance Statement**

Feature	Description	Compliance (Yes/No)	Remarks
Type	Wall Mountable		
Operation Mode	Electronically operated, fully automatic		
Loading Type	Front loading		
Number of chambers	2		
Residue Ash per Napkin	<1.5 gram		
Trap Door	Required		
Material of Thermal Insulation	High Density Ceramic fiber		
Temperature indicator	Required		



Timer	Required		
Auto cut-off temperature display	Required		
Minimum Burning temperature (degree C)	800		
Burning Chamber tray	Required		
Burning Capacity per day (Number of Napkins)	40 - 50 Nos		
Power supply	230V +/-10%, 50Hz, Single phase AC Supply		
Type of Heater	Ceramic heater containing coil		
Type of SCU (Smoke Control Unit)	Top mounted with minimum 3M length of flexible emission outlet PCB		
Safety MCB	Required		
Pollution Certificate from Central/State Pollution control boards /CSIR/NABL	Required		
Warranty	One-year comprehensive warranty		

**Prof. (Dr.) K S Anil Kumar**  
**Registrar**

