



# UNIVERSITY OF KERALA

DEPARTMENT OF PHYSICS

Kariavattom Campus, Thiruvananthapuram, Kerala, India - 695 581

No. PHY/PURCHASE/MS/02/22

## Quotation Notice

Sealed quotations are invited from reputed firms for *Supply and Installation of BIOVIA Material Studio* through e-Tender website [www.etenders.kerala.gov.in/](http://www.etenders.kerala.gov.in/) only as per the minimum specification, Scope of work and terms of condition mentioned in the document at Kariavattom Campus of University of Kerala.

1.	Name of work /Items	<b><i>Supply and Installation of BIOVIA Material Studio at department of physics Kariavattom Campus</i></b>
2.	Tender No.	PHY/PURCHASE/AWS/01/22
3.	Cost of tender form/ Tender Submission Fee	Rs. 2478/-
4.	Period of Completion	60 Days
5.	Documents to be submitted.	See Section 3.
6.	Start Date of issue	07.02.2022
7.	Last Date of receipt of Tender/ Bid closing	21.03.2022
8.	Date and time of Opening Tender	23.03.2022
9.	Contact details for Technical Clarification	Dr.Subodh G,Assistant professor, Department of physics University of Kerala, Kariavattom Campus, Thiruvananthapuram, Kerala- <b>695581 Phone:</b>

The interested bidders can download the Tender documents at free of cost from the e-GP Website [www.etenders.kerala.gov.in](http://www.etenders.kerala.gov.in). A bid submission fee should be remitted online. All bid/ tender documents are to be submitted online only and in the designated cover/ envelope on the e-GP website. Technical bid and financial bid shall be submitted in the designated online cover. Detailed Terms and conditions and Technical Specifications are available in Tender documents.

The bids shall be opened online at the office of the Department of physics, Kerala University on Date mentioned above. If the above date of opening tender happens to be on a holiday or due to any other valid reason, the tender opening process will be done on the next working day or the day fixed by the undersigned.

Sd/-

Dr.subodh G

Assistant professor

Department of physics ,University of Kerala