

UNIVERSITY OF KERALA

Thiruvananthapuram, Kerala, India – 695034

(Established as University of Travancore by the Travancore University Act in 1937 and reconstituted as University of Kerala by the Kerala University Act of 1957 and presently governed by the Kerala University Act of 1974 passed by the Kerala State Legislative Assembly)
(Re-accredited by NAAC with 'A⁺⁺' Grade)

31897/Admn B IV/2022/UOK

17.11.2022

QUOTATION NOTICE (RE-TENDER)

Competitive Quotations are invited from **vendors within Kerala**, for the supply of one number of Dot Matrix Printer for use in the Accounts VI A Section of the University Office.

Conditions

1. The rate quoted should be inclusive of GST, transportation charges, installation charges and any other charges.
2. Complaints with the items supplied should be rectified/replaced to the satisfaction of the University by the suppliers at their own cost.
3. Payment will be made only after the satisfactory installation of the item at our site.
4. The undersigned reserves the right to reject /accept any quotation without assigning any reason.
5. **Compliance Statement should be submitted that includes all parameters as in specification.**

The **sealed quotation** along with the Compliance Statement should be **addressed to** "The Registrar, University of Kerala, Senate House Campus, Thiruvananthapuram - 695034" **superscribing as Quotations for the supply of one number of Dot Matrix Printer for use in the Accounts VI A Section of the University Office.** The last date of receipt of quotations is at **3.00 PM** on **29.11.2022**. The quotations will be opened at 3.30 PM on the same day in the presence of vendors then present.

Dr. K S Anil Kumar
Registrar



Specification of Dot matrix Printer

Printing Method	Serial impact matrix printer
Printer Type	24 Pins 136 columns
Print Direction	Bi-directional printing
Workload	20000 pages per month or higher
Print Speed (in cps)	683 CPS or higher •
Character Density	5, 6, 7.5, 8.6, 10, 12, 15, 17.1, 20 cpi
Line Density	2, 3, 4, 6, 8, 12 lpi
Resolution	Up to 360 x 360 dpi
Paper Type	continuous forms, multi-part forms
Paper Sizes	Width: 76-420mm Length of cut forms : 76-559mm
Standard Paper Handling	Push tractor for continuous paper with straight paper path, tear off and park position
Operating system	Windows
Memory	256 KB or higher
Interface	USB, Ethernet
Warranty	1 year + additional 2 years



Compliance Statement

SI No	Feature	Description	Compliance(Yes/No)	Remarks
1	Printing Method	Serial Impact Printer		
2	Printer Type	24 Pins 136 columns		
3	Print Direction	Bi-directional printing		
4	Workload	20000 pages per month or higher		
5	Print Speed (in cps)	683 CPS or higher •		
6	Character Density	5, 6, 7.5, 8.6, 10, 12, 15, 17.1, 20 cpi		
7	Line Density	2, 3, 4, 6, 8, 12 1pi		
8	Resolution	Up to 360 x 360 dpi		
9	Paper Type	continuous forms, multi-part forms		
10	Paper Sizes	Width: 76-420mm Length of cut forms : 76-559mm		
11	Standard Paper Handling	Push tractor for continuous paper with straight paper path, tear off and park position		
12	Operating system	Windows		
13	Memory	256 KB or higher		
14	Interface	USB, Ethernet		
15	Warranty	1 year + additional 2 years		

