### **QUOTATION NOTICE**

Supply and Installation of Latest Model 1.5 Ton BEE 5-Star rating Energy Efficient Split type Inverter Air-Conditioner (Copper Condenser) with Stand & Stabilizer.

Sealed and Competitive Quotations are invited from reputed and original equipment manufacturers/authorized dealers/firms and distributors for the Supply and Installation of **01 No. (One)** split type Inverter Air-Conditioner to be installed at the Office of the Joint Director, Translational Research and Innovation Centre, University of Kerala, Kariavattom campus, TVPM-695581.

The quotation should be submitted through registered post in a sealed envelope super scribed as "Supply and Installation of Latest Model 1.5 Ton BEE 5-Star rating Energy Efficient Split type Inverter Air-Conditioner (Copper Condenser) with Stand & Stabilizer." addressed to the Joint Director, Translational Research and Innovation Centre, University of Kerala, Kariavattom campus-695581. The sealed envelope should have contact details such as Name, Address, Telephone/Mobile No. and e-mail indicated on the bottom left side of the cover. The quotation shall reach this office on or before 28<sup>th</sup> June 2024 by 04.00 pm

#### **General Terms and Conditions:**

1. Quotation received after due date and time shall not be considered.

2. The rates quoted should be inclusive of all taxes (rates or duties), packing, installation and all other incidental charges.

3. The Bidders/ representatives of the bidders on their willingness may visit the office to make themselves familiar to the site and work to be carried out before submitting their quotations.

4. The Bidders should conduct in their own due diligence, investigation and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessment, statement and information contained in this tender and obtain independent advice from appropriate sources.

5. The Bidders are required to complete and submit "Annexures -A & B" along with the duly filled in tender form.

6. Delivery and Installation (Work Completion):

(a) Approved brands such as LG/Samsung/Voltas/Bluestar/Panasonic/Carrier with minimum 02 year comprehensive warranty on machine and 10 years warranty on compressor.

(b) The Bidder should ensure that above mentioned brand's latest model 1.5 Ton BEE 5-Star rating Split type Inverter Air-Conditioner with copper condenser, stabilizer and stand are delivered and installed within 15 days from the date of receipt of Work Order.

7. <u>Validity:</u> The rates given in the tender should be kept open for acceptance up to 60 days from the due date.

**8.** <u>Payment:</u> payment will be made by cheque/bank transfer after satisfactory completion of delivery and installation of the air-conditioner.

9. Each page of this tender document is to be duly signed by the bidder as token of unconditional acceptance of terms and conditions.

10. The date of opening the tender is 29/06/2024, 11 a.m

## Translational Research and Innovation Centre (TRIC-KU) University of Kerala

# Supply and Installation of Latest Model 1.5 Ton BEE 5-Star rating Split type Inverter Air-Conditioner with Copper Condenser, stabilizer & stand

### "Annexure - A"

Name of the Firm	
Address with Mobile No. and e-mail ID	
PAN No.(Attach copy of PAN card)	
GST Registration Details	
Bank A/c details with IFSc code and Address of your firm /company	A/c No:  IFSc code:
	MICR Code:

### "Annexure-B"

TECHNICAL SPECIFICATIONS	REQUIREMENT
BEE STAR RATING ISEER	LATEST 5 STAR
	MINIMUM 5
TONNAGE	1.5 TON (1 Ton =12000 Btu/Hr =/- 10%)
TECHNOLOGY	INVERTER
CONDESOR COIL	COPPER TUBES WITH ALUMINIUM FINS WITH ANTICORROSIVE COATING
EVAPORATOR COIL	COPPER TUBES WITH ALUMINIUM FINS WITH ANTICORROSIVE COATING
MACHINE TYPE	[2] 이 전문 12 전문
REFRIGERANT TYPE	HI WALL SPLIT
POWER SUPPLY	R32/Equivalent or CFC Free
OPERATING VOLTAGE RANGE	230V/50htz/Single Phase
	110 V - 285 V AC
POWER CABLE REFRIGERANT PIPE	4 Core - 3 meter
	COPPER PIPE AND THERMAL INSULATION UP TO 3.5 MWITH REQUIRED NITRILE RUBBE. INSULATION, WITH UV PROOFING
SUCTION TUBE SIZE OUTER DIAMETERINCH (MM)	1/2" (12.7mm)
LIQUID TUBE SIZE OUTER DIAMETER INCH(MM)	1/4" (6.35mm)
MAX PIPING CAPABILITY TOTAL (METRE)	15
MAX PIPING CAPABILITY VERTICAL (METRE)	10
HEAVY DUTY DRAIN HOSE	03 M
REMOTE	CORDLESS LCD REMOTE WITH AAA BATTERY
WADD ANTEN FOR FOLLOW	COLUMNOTE WITH AAA BATTERY
WARRANTY FOR EQUIPMENT	03 Years
WARRANTY FOR PCB	ONE YEAR REPLACEMENT
	FOUR YEAR REPAIR
WARRANTY FOR COMPRESSOR	10 YEAR
DISPLAY PANEL POSITION	CENTRAL
TYPE	
INPUT VOLTAGE RANGE	WALL MOUNTED SINGLE PHASE SINE WAVE (160V-260V)
OVERALL EFFICIENCY OF ALVC (Minimum in % Age)	95
TEMPERATURE CLASS OF INSULATION	B
CURRENT RATING OF THE RELAY CONTRACTORS (AMP)	AS PER Cl.6.4 OF IS:8448 (LATEST)
ADDITIONAL FEATURES	HIGH POWER EFFICIENCY, INTELLIGENT TIME DELAY SYSTEM, LOW & HIGH VOLTAGE CUT -OFF PROTECTION, BUILT-IN THERMAL OVERLOAD PROTECTION.
STABILIZER WARRANTY	BUILT-IN THERMAL OVERLOAD PROTECTION, LED INDICATIONS ETC.
STABILIZER MAKE	03 YEARS
THREE PIN PLUG TOP	V-GUARD/VOLTAS/GODREJ/HYKON/MICROTEK/PHILIPS
THEFT I IN LEGG 10b	RoHS COMPLIANT, 16 A 3PIN PLUG TOP

06/06/2024 Kariavattom

The Joint Director
Translational Research and Innovation Centre (TRIC-KU)
University of Kerala, Kariavattom Campus
Thiruvananthapuram-695581