



DEPARTMENT OF BIOCHEMISTRY

(DST-FIST Sponsored Department)

UNIVERSITY OF KERALA

(Established as University of Travancore by the Travancore University act in 1937 and reconstituted as University of Kerala by the Kerala University act of 1957 and presently governed by the Kerala University act of 1974 passed by the Kerala state Legislative Assembly)

(Re – accredited by NAAC with 'A++' Grade)



KARIAVATTOM

THIRUVANANTHAPURAM – 695581

PHONE: 0471 2308078

Email: biochemistry@keralauniversity.ac.in

BCH/AH-5/Q.1/2024-25

12.07.2024

QUOTATION NOTICE

Sealed quotations are invited for the supply of rat and mice cages with other accessories for animal house facility of the Kerala University with relevant specifications on or before **12-08-2024 3.00pm**. Envelopes should be addressed to the **Associate Professor and Head, Department of Biochemistry** with superscription “**Quotation for the supply of rat and mice cages with rack and other accessories**”. Quotation will be open on **13-08-2024 3.00pm**. The rate quoted shall be valid for a period of one year. Quotations should also include all the supportive work for installation, loading and unloading of the equipment. Bidders have to note the Appendix I -Technical Specifications and Appendix II - Terms and Conditions and should attach the relevant documents along with the quotation.

Sl No	Specifications	Unit
1	Polycarbonate mice cages Size minimum 290 x 220 x 140 mm (L X B X H) Floor Space minimum 380cm ² Cage Body – - Autoclavable at 121°C temperature and pressure 15 LB/ Sq inch for 15 minutes - Fully transparent body - Food Grade quality material Polycarbonate material S S Top grill–	20 no.

	<ul style="list-style-type: none"> - Made of S.S. 304 material with duly spot welded and finished joints - Provision for fixing water bottle - Provision for Feed Pellets - Fitted with two hooks of brass material for locking the grill to the top of the body of cage. - Fitted with tag holder - Main frame is made of 4 mm S.S. 304 rod and rest of grill of 2 mm S.S. 304 rod - Partition for food and water bottle compartment - CE Certified 	
2	<p>Polypropylene mice cages</p> <p>Size minimum 290 x 220 x 140 mm (L X B X H) Floor Space minimum 380cm² Cage Body –</p> <ul style="list-style-type: none"> - Autoclavable at 121° C temperature and pressure 15 LB/ Sq inch for 15 minutes - Fully transparent body - Food Grade quality material Polycarbonate material S S Top grill– - Made of S.S. 304 material with duly spot welded and finished joints - Provision for fixing water bottle - Provision for Feed Pellets - Fitted with two hooks of brass material for locking the grill to the top of the body of cage. - Fitted with tag holder - Main frame is made of 4 mm S.S. 304 rod and rest of grill of 2 mm S.S. 304 rod - Partition for food and water bottle compartment - CE Certified 	20 nos.
3	<p>Polycarbonate rat cages</p> <p>Overall Size minimum 430 x 290 x 200mm (L X B X H)</p> <ul style="list-style-type: none"> - Autoclavable at 121° C temperature and pressure 15 LB/ Sq inch for 15 minutes - Fully transparent body - Food Grade quality material Polycarbonate material S S Top grill– - Made of S.S. 304 material with duly spot welded and finished joints - Provision for fixing water bottle - Provision for Feed Pallets - Fitted with two hooks of brass material for locking the grill to the top of the body of cage - Fitted with tag holder - Main frame is made of 4mm S.S. 304 rod and rest of grill of 2mm S.S. 304 rod 	20 nos.

	- Gap between S.S. rods is around 7mm - Foldable partition for food and water bottle compartment - CE Certified	
4	Mice polycarbonate bottle 300ml Square Shape with S.S Cap and long nozzle fit for mice cage	20 nos.
5	Mice polypropylene bottle 150ml round Shape with S.S Cap and long nozzle fit for mice cage	20 nos.
5	Rat polycarbonate bottle 300ml Square Shape with S.S Cap and nozzle fit for rat cage	20 nos.

APPENDIX II- TERMS AND CONDITIONS

1. The main envelop should be super scribed: “**Quotation for the supply of rat and mice cages with rack and other accessories**”. Last date of submission” The date of Opening of Technical Bid and Financial Bid is indicated above.
2. Only one model can be quoted in a tender. If the tenderer wants to quote for more than one model separate tenders should be submitted. If more than one model is quoted in a single tender it will be summarily rejected.
3. The tenders received late, without required documents or incomplete in any respect / misleading will be summarily rejected.
4. The proposals shall be submitted in two parts, viz. **Technical bid and Financial bid in a sealed envelopes**. The top of cover must also contain Name and Address of the tenderer, telephone and other contact details for further correspondence.
5. The Bidder should be a manufacturer or their dealer specifically authorized by the manufacturer to quote on their behalf for this tender. Certificate to this effect should be included in the quotation.
6. The models quoted should be in successful operation for at least one year as on the date of Bid opening.
7. Prices are to be quoted **FOR DESTINATION (Department of Biochemistry, University of Kerala, Kariavattom)**. The prices quoted should clearly indicate the following charges: Price of the equipment; Price of optional accessories if any; Customs duty (after submission of custom and excise exemption certificate); Customs Clearance Charges and transportation charges. **If these details are not provided it will be considered that the price quoted is inclusive of all charges.**
8. The quotation submitted shall remain valid at least for one year from the date of opening the quotation. Validity beyond one year from the date of opening of the quotation shall be by mutual consent.

9. Complete technical details of pre-installation requirements should be furnished along with the technical bid. Vendors are expected to supply all other installation accessories, infrastructures, facilities and services required for successful installation and smooth operation of the equipment.
10. The supplier should be fully equipped to render us after sale service during warranty and thereafter.
11. The University of Kerala reserves the right to accept or reject any or all quotations without assigning any reason thereof. In case of any dispute the decision of the University Authority shall be final.
12. Minimum warranty of 3 years should be quoted. The supplier should provide comprehensive warranty for three years for all components without any additional cost to the purchaser from the date of satisfactory commissioning of equipment. All equipments must be covered with comprehensive warranty as specified in technical specifications.
13. Suppliers with service centres in South India, preferably in Kerala shall be an added advantage.

Associate Professor & Head



Head

Department of Biochemistry
University of Kerala, Kariavattom
Thiruvananthapuram - 695 581